

## Appendix 3

### Air Quality

#### Proposal

The applicant has assessed air quality impacts in Chapter 6 and Appendix E of the Environment Statement. It does this by predicting the likely changes in pollutant concentrations as a consequence of the project. These are then compared to air quality objectives and limit values for these pollutants to determine whether the predicted changes are significant.

The area in which the site is situated is rural and not densely populated. There are no existing significant sources of emissions to the atmosphere. Likewise, there are no areas within the vicinity of the site where there is an existing problem with air quality or pollution.

The project has five main activities that will result in emissions to the atmosphere, these are:

- Emissions from construction activities;
- Emissions from the vehicles associated with the use of the site;
- Emissions from the flaring of gas during flow testing;
- Emissions from equipment associated with the operation of the Site (e.g. generators); and
- Possible fugitive emissions (i.e. unexpected or uncontrolled emissions)

The main source of atmospheric pollutants from the project is the gases that are emitted when gas is burnt in the flare during flow testing. The assessment in the ES quantifies the amount of nitrogen dioxide, benzene and radon that could be emitted from the flare and how it would be dispersed using weather data for the prevailing wind directions.

The predicted air quality emissions from the project have been compared to Air Quality Objectives and Limit Values for the different pollutants likely to be emitted by the project activities (Section 6.7 of the ES). These objectives and limit values are based on minimizing health effects as a result of acute or chronic exposure to potentially sensitive individuals.

#### *Dust*

The risk to nearby receptors has been assessed by the applicant. This assessment has concluded that there is a negligible to low risk of dust being created by the project and it will not result in a significant effect. This is because there is sufficient distance between the site and potentially sensitive receptors. Furthermore, the scale and duration of the project activities (construction of the access track and well pad and decommissioning) will not be carried out over a long period of time (less than 2 months for each activity).

*Emissions from generators*

The applicant has provided details of equipment that will be used at the site, i.e. pumps, fracturing water transfer pumps, generators, blender units and service rigs. The equipment will be used during the drill phases for the duration of the drilling. During the hydraulic fracturing the engines will be run for only a few hours at a time. Given the size of the generators and engines and the relatively short period of operation, these sources have been scoped out of the assessment by the applicant. A table summarising the generators used on site is provided in Appendix F of the ES.

Further information was requested from the applicant to justify the decision to remove the generators from the scope of the assessment. This has been provided and provides sufficient information to justify the applicant's conclusion.

*Emissions from road traffic.*

To assess the impacts from road traffic an initial screening exercise was undertaken by the applicant that examined the likely changes in vehicle numbers on the road and compares these with criteria from the national guidance 'Design Manual for Roads and Bridges' (DMRB) to determine whether a more detailed assessment was required. The criteria are not exceeded so no significant air quality impacts are likely, according to the applicant's assessment.

Again, further information was requested to justify this decision and this has been provided and provides sufficient information to justify the applicant's conclusion.

*Emissions from the Flare*

The Air Quality chapter of the ES (Chapter 6) includes a forecast and assessment of the potential quantity and effects of NORM in the form of gas (specifically radon) that may be present in the gas that is burnt in the flare stacks. These predictions have been compared to an annual dose limit of 300 microSv/yr for a single source. The predicted emissions from the combustion of gas in the flares is 0.3 microSy/yr. This is one thousand times lower than the International Commission on Radiological Protection (ICRP) limit. Therefore, the applicant concludes, the levels of NORM emitted to the atmosphere by the project do not present a significant risk to health.

The flares that will be used to burn gas generated during initial flow testing are the main source of emissions to air associated with the project. The concentrations and distribution of pollutants (specifically NO<sub>2</sub> and benzene) have been modelled by the applicant so that the effect on air quality, and indirectly health, can be predicted at potentially sensitive receptor locations around the site (residential properties). The ES air quality assessment concludes that the levels of NO<sub>2</sub> and benzene are well within the regulatory limits and therefore do not present significant risk to health.

The air quality effects from the project have been assessed for dust, NO<sub>2</sub>, PM<sub>10</sub>, PM<sub>2.5</sub>, benzene and NORM. The assessment by the applicant for all of these parameters has concluded that the emissions from the project will not be significant.

Because of the low risks, the applicant says the only mitigation measures required are standard dust control measures that are used during construction of the access track, well pad and the installation of the connection to the national transmission

system. According to the ES, these will be sufficient to manage the risk of the project generating dust that could adversely affect vegetation or nearby properties.

### **Summary of consultee comments and representations**

**Lancashire County Council Director of Public Health:** The County Council's Director of Public Health has provided specific advice to inform the planning process and provide public health advice to protect and improve the health of local residents living near the proposed shale gas exploration sites of Preston New Road (planning application numbers LCC/2014/0096 and 0097) and Roseacre Wood (planning application numbers LCC/2014/0101 and 0102). The advice was published as a Health Impact Assessment (HIA) in November 2014. This is covered in more detail in Appendix 17.

The Health Impact Assessment makes 45 recommendations to a broad range of agencies, suggesting actions before, during and after any permissions or permits are granted. Appendix J contains 16 specific recommendations to inform this planning process.

Three of the 16 recommendations in Appendix J relate specifically to air quality as follows:

3. *Undertake an independent verification of the assessment of air quality, transport, waste management and induced seismicity prior to determining the planning applications.*
6. *Consider the need to seek further clarification from the Applicant that the cumulative impacts of the operations from the flare, generators, vehicles and drilling will not exceed the national air quality objective thresholds, particularly for PM 24 hour mean levels*
7. *As part of either the planning or permitting process, the Applicant should be required to submit regular data on the ambient air quality on site measuring all the common air pollutants relevant to the activity and report them regularly. PM10 and PM2.5 should be reported separately.*

**Public Health England (PHE):** has sought a number of clarifications regarding the planning application in two separate consultation responses. In turn, the clarifications and questions contained in both PHE responses have been satisfactorily addressed as a result of further information or clarification provided by the applicant.

In many cases, the applicant has clarified how and where the PHE comments are addressed in the Environment Statement submitted with the planning application, or has submitted additional information. This further information has been the subject of further consultation. Several of the clarifications requested by PHE are also controlled by the Environment Agency through the permit process.

PHE conclude that although onshore oil and gas extraction and related activities have the potential to cause pollution to air, land and water, the currently available

evidence indicates that the potential risks to public health from exposure to the emissions associated with such extraction are low if the operations are properly run and regulated.

Overall, based solely on the information contained within the application provided, PHE has no significant concerns in relation to the potential emissions from the site adversely impacting the health of the local population from this proposed activity, providing that the applicant takes all appropriate measures to prevent or control pollution, in accordance with the relevant sector technical guidance or industry best practice.

PHE agrees with the proposals to undertake baseline monitoring of ground waters, surface waters and local air quality to better assess the impact on the environment from any development. However, it says the details of the baseline monitoring prior to operations need to be provided to ensure it will allow assessment of the impact of operations on the local environment.

PHE say the levels of radon are very small and there are no grounds for concern about the potential radiological impact of radon arising from the proposed activities. Similarly, on naturally occurring radioactive material (NORM) PHE confirm the dose is significantly below PHE's recommended level and is not a concern.

**Fylde Borough Council:** objects to the proposal. The Borough Council believes operations would be in relatively close proximity to residential properties and the noise and general disturbance from 24 hour drilling operations and associated activity would be significant. The Borough Council says the proposal is contrary to the provisions of Policy DM2 of the Minerals and Waste Local Plan and Policies EP26, EP27 and EP28 of the Fylde Borough Local Plan which are considered to be in conformity with the provisions of the National Planning Policy Framework.

In terms of air quality, the Borough Council states the increase in road traffic is unlikely to approach the "action" level of  $40\mu\text{g}/\text{m}^3$  but the area will see a rise in air pollution albeit not very significant but due to low current levels there will be a significant percentage increase. It is the Borough Council's intention to relocate one of the NOx tubes that is used to monitor road traffic pollution in another area to this location.

In addition, the Borough Council requests that the applicant shall ensure that there is continuous monitoring of air quality as a result of increase road traffic to demonstrate that air quality guidelines are being met.

Dust – the site has been categorised as "medium" with reference to likelihood of dust creation and dispersal. Due to the sensitivity of the environment and the residents the Borough Council advises that the site is categorised as "large".

**Medlar-with-Wesham Parish Council and Kirkham Town Council:** Object to the proposal as submitted and requests that it be refused planning permission for the following air quality related reason: Air pollution from gas emissions. Flaring can lead to over 250 pollutants including methane.

**Roseacre, Wharles and Treales Parish Council:** Objects to the proposal on the following air quality related grounds:

- Air quality monitoring regime is not acceptable. Need baseline data and real time publicly available data on a range of pollutants and the combined impact of flaring, fugitive emissions and equipment and transport emissions.
- Dust assessment is inadequate and does not take account of construction and daily utilisation of passing places through Wharles and Dagger Lane.
- HGV traffic volumes will have an unacceptable adverse impact on the community through air and noise pollution and general nuisance.

**Friends of the Earth:** Have made two representations. On air quality, the following issues are raised:

- People including children will be exposed to pollutants from traffic.
- The planning authority should check the baseline air quality and assess whether the development will significantly add to air quality issues and whether significant people will be affected.
- The air quality assessment does not identify vulnerable groups e.g. Inskip pre-school, a nursery in Elswick and residents of Wharles who will experience notable changes in traffic. Residents of Roseacre, Wharles and Elswick could be receptors of emissions. Impacts on Kirkham and Wesham not considered.
- Emissions from generators, engines and site equipment for drilling have been scoped out of the air quality assessment despite the potential for emissions.
- All possible sources of emissions should be included with cumulative impacts assessed, including increased NO<sub>2</sub> levels.
- There will be air quality impacts and mitigation is required, with reference to the Air Quality Directive.

### **Other representations**

The following is a summary of the issues raised in representations that relate to air quality:

- Proposal will result in unacceptable levels of greenhouse gas emissions / toxic air pollution from flaring and health impacts to residents
- Proposal is contrary to Policy EP26 due to flaring and air quality impacts
- Flared methane emissions from fracked gas are worse than from coal
- It is estimated that up to 7.9% of methane from shale gas escapes to atmosphere from venting and leaks over the lifetime of a well.
- In the USA, the methane emissions from shale developments were up to 1000 times higher than initially reported.
- Flaring of methane 24hrs a day is not clean energy
- Methane flaring will lead to over 250 pollutants

- The proposal is contrary to Article 4 of the mining waste directive which requires that the best available technique for the management of waste should be used e.g. green completion.
- In the US, the Environmental Protection Agency (EPA) requires use of green completion technology from 2015 for hydraulically fractured wells instead of flaring to reduce air pollution.
- The description of the proposed flare is unclear
- Flare flume dispersal modelling should be a priority
- Flaring within 230m of a residential property is not acceptable
- Fracking will unleash radon, methane, toxic gases, particulate matter and carcinogenic toxins into the atmosphere with associated health risks to people, wildlife and the land
- Radioactive products will be released into environment, and will affect drinking water and food production.
- Radon should be treated as a hazardous waste
- Potential impact from air pollution to Westby reservoir and watercourses
- Possibility of pollution and methane escape
- Fumes from the flare will concentrate toxic air pollution, which will be detrimental to local residents, including those at the caravan park.
- Air pollution will impact people and particularly those with existing illnesses, breathing disorders and low immune systems.
- Impact of flaring, burning gas between 30days to 2 years
- Not acceptable for Roseacre to receive polluted air from flared gas
- Inskip school is directly across from Roseacre Wood and will receive toxic fumes affecting the schoolchildren
- Gas flaring is hazardous and will cause fires in homes
- Impact of 100 lorries per day will release carbon monoxide and carbon dioxide
- Waste fluid left in open air pits to evaporate will release harmful VOC's (volatile organic compounds) into the atmosphere
- The development will increase nitrogen dioxide levels and increase health risks to local residents
- If boreholes are not sealed properly there will be fugitive gas emissions.
- Is Cuadrilla being made to fit special filters to machines, diggings, chimneys, diesel generators etc?
- Need air quality monitoring for Great Plumpton given the prevailing wind and likely negative impacts
- Residents sought rural environment for clean air and now at risk of adverse effects
- Negative impact from air pollution on enjoyment of property, garden and living in Great Plumpton
- Emissions should be monitored with limits and fines for exceeding
- There will be an unacceptable level of dust generated
- Ozone and emissions from traffic

## Policy

As part of the National Planning Policy Framework, planning practice guidance on various topics has been published. In relation to air quality, the guidance refers to the significance of air quality assessments to determine the impacts of proposed

developments in the area and describes the role of local plans with regard to air quality. Paragraph 5 sets out considerations on whether or not air quality is relevant to a planning decision, stating this will depend on the proposed development and its location. Paragraph 9 sets out a flow chart to be followed in the development management process.

Policy DM2 of the JLMWLP states that development for minerals operations will be supported where it can be demonstrated that all material social, economic or environmental impacts that would cause demonstrable harm can be eliminated or reduced to acceptable levels. In assessing proposals account will be taken of the proposal's setting, baseline environmental conditions and neighbouring land uses, together with the extent to which its impacts can be controlled in accordance with current best practice and recognised standards.

## **Assessment**

### Overview of air quality impact.

Lancashire County Council Scientific Services (LCCSS) carried out a review of the air quality chapter (including radon) of the Environmental Statement.

The review concluded that the documents provide sufficient detail to show that the applicant has carried out the assessment in a satisfactory manner and that the conclusions drawn from the assessment are valid.

The review found that the documents for both sites identified the following emissions from the activities before, during and after operations: fugitive dust, nitrogen oxides and particulate matter, volatile organic compounds (VOCs) and odours.

The review suggested there are other potential pollutants not mentioned in the assessment which may adversely affect air quality. These include sulphur dioxide, hydrogen chloride and other potentially carcinogenic VOCs. It was suggested that the assessment should explicitly consider these chemicals, but if the consideration concludes these chemicals are of little or no concern this should be confirmed. Further information has been provided by the applicant in relation to these points:

#### *Sulphur Dioxide & Hydrogen Chloride*

Results of testing of gas from Cuadrilla's Preese Hall well did not detect any sulphurous compounds or chlorine compounds in the gas. It is therefore assessed as very unlikely that there will be any significant concentrations of sulphur dioxide or hydrogen chloride in the gas produced at the proposed site. The applicant concludes that the contribution of sulphur dioxide is insignificant. The Environment Agency draft permit documentation supports this view.

Monitoring of the gas quality will be undertaken once the site is operational. This will mitigate the risk of any unexpected pollutant emissions going undetected. In addition, the EA draft permit (which incorporates the Waste Management Plan) provides for ambient sulphur dioxide monitoring.

### *Potentially Carcinogenic VOCs*

The air quality assessment has identified the most significant VOCs (volatile organic compounds) as benzene and benzo[A]pyrene (BaP) (selected to represent carcinogenic VOCs). The main pollutants of concern which are included in the air quality objectives are benzene and BaP (Benzo[a]pyrene). The benzene results are included within the ES, section 6.7.5.

BaP: Due to limited amounts of information on polycyclic aromatic hydrocarbons (PAHs) being available in the UK, for the assessment at Preston New Road a precautionary approach has been taken by the applicant by making assumptions based on data from Alberta, Canada. The information has been used to determine the emissions of BaP that could potentially result in a breach of the UK objective for BaP (0.25ng/m<sup>3</sup> annual mean).

Analysis undertaken by M.Stroscher et al looking at the composition of flare gas from natural gas extraction sites in Canada is the report which has been used for the assumptions made for the Preston New Road site, which in discussion with the Environment Agency is considered the best source of information regarding BaP content of shale gas.

The applicant has made a worst case assumption for the Preston New Road site in the ES (chapter 6) that assumes that C6 hydrocarbons constitute 0.1% of the total emissions. The Alberta report indicates that BaP is around 1/1000th of the amount of Benzene. Using this as the worst case assumption, the potential contribution from the Preston New Road site can be calculated. Based on this approach the highest predicted annual mean concentration is 0.0224 ng/m<sup>3</sup> which is well below the UK objective (0.25ng/m<sup>3</sup>). In summary, the findings in the ES and the further information submitted by the applicant conclude that the risk of any impacts of VOCs emissions from the flare on local receptors would be not significant. In addition, the EA draft permit (which incorporates the Waste Management Plan) requires ambient monitoring of VOCs and BTEX (benzene, toluene, ethylbenzene, and xylenes) and indirect monitoring of the flare of VOCs among other chemicals.

### Emissions from construction activities

The risk to nearby receptors has been assessed by the applicant. This assessment has concluded that there is a negligible to low risk of dust being created by the project and it will not result in a significant effect. This is because there is sufficient distance between the site and potentially sensitive receptors. Furthermore, the scale and duration of the project activities (construction of the access track and well pad and decommissioning) will not be carried out over a long period of time (less than 2 months for each activity).

### Emissions from the vehicles associated with the use of the site:

Environmental Protection UK (EPUK) provides guidance (Development Control: Planning for Air Quality, 2010) to help establish when an air quality assessment is likely to be considered necessary because a proposal might cause a significant change in air quality. Environmental Protection UK is a national charity that provides advice on air quality and their effects on people and communities.

For emissions from vehicles, the following guidance is provided.

- *Proposals that will give rise to a significant change in either traffic volumes, typically a change in annual average daily traffic (AADT) or peak traffic flows of greater than  $\pm 5\%$  or  $\pm 10\%$ , depending on local circumstances (a change of  $\pm 5\%$  will be appropriate for traffic flows within an AQMA), or in vehicle speed (typically of more than  $\pm 10$  kph), or both, usually on a road with more than 10,000 AADT (5,000 if 'narrow and congested');*
- *Proposals that would significantly alter the traffic composition on local roads, for instance, increase the number of HGVs by say 200 movements or more per day, due to the development of a bus station or an HGV park (professional judgement will be required, taking account of the total vehicle flow as well as the change);*

The applicant has used this guidance to assess the significance of vehicle emissions on air quality. A significant effect would occur if the number of HGVs was to increase by 200 or more per day, or the overall traffic flow was to increase by more than 1,000 vehicles per day.

Construction: Vehicle traffic movements during the construction phase reach a worst case maximum of 34 average annual daily traffic (AADT) movements (12 cars or vans and 22 HGVs). Following the EPUK guidance (which states the number of vehicles required in order to trigger the need for a detailed assessment - an increase in HGVs by 200 or an increase in total AADT by 1000) it is clear the number of vehicles is well below the thresholds which would require a detailed assessment. It is therefore concluded that the air quality impacts of exhaust emission from vehicles in the construction phase is not significant.

Drilling: Vehicle traffic movements during the drilling phases reach a worst case maximum of 45 AADT (32 cars or vans and 13 HGVs). Following the EPUK guidance which states the number of vehicles required in order to trigger the need for a detailed assessment (an increase in HGVs by 200 or an increase in total AADT by 1000) it is clear the number of vehicles is below the thresholds which would require a detailed assessment. It is therefore concluded that the air quality impacts of exhaust emission from vehicles in this phase is not significant.

Initial flow testing: The maximum impacts on air quality will take place during the initial flow testing stage (from the flare). Traffic flows in this phase are well below the level which would require a detailed assessment. The impact from vehicle movements during this phase is therefore considered not significant. This would also apply if greater than anticipated flowback rates were encountered because the maximum number of daily vehicle movements is significantly less than the 200 HGVs or 1000 vehicle movements per day threshold.

Extended flow testing: No significant air quality impacts are expected as a result of the construction phase for extended flow testing. Limited vehicle movements will occur during this phase of activity, these movements will have a negligible effect on air quality and therefore are not significant.

Decommissioning and restoration: Extended Flow Testing Infrastructure; limited vehicle movements will occur during this phase of activity so there are no significant effects on air quality. Exploration well, pad and access track; decommissioning the well pad and access track will require the same number of vehicle movements as during construction so the air quality impacts of exhaust emission from vehicles is again not significant.

Emissions from the flaring of gas during flow testing;

The main source of atmospheric pollutants from the project is the gases that are emitted when gas is burnt in the flare during flow testing.

*Environment Agency assessment*

The Environment Agency has undertaken its own detailed assessments of the emissions to air that will arise from the flow testing operations (i.e. from the flare) and the potential impact of these emissions on human health and ecological receptors.

Detailed air dispersion modelling has been carried out by the Agency. This considered the potential impacts of the main pollutants that could be emitted from the combustion of natural gas based on its expected composition:

- Oxides of nitrogen / nitrogen dioxide
- Benzene (a volatile organic compound)
- PAH emissions (a reference to benzo-a-pyrene)

Particulate emissions have been covered by a qualitative assessment as the Agency would not expect particulate (PM10) to result from gaseous emissions.

Sulphur dioxide (SO<sub>2</sub>) was not included in the Agency's assessment because the applicant provided information based on other gas extraction locally that no hydrogen sulphide (H<sub>2</sub>S) has been identified during monitoring of the drilling muds or gas.

Having undertaken a detailed assessment, the Agency is satisfied that the emissions from the flare would be insignificant at locations closest to the site.

In terms of public health impact of the flare emissions, the Agency's audit checks, modelling and sensitivity analysis confirms there will be no exceedance of standards established for human protection. Indeed, the modelling assumed the flares would be operating for 24 hours, 365 days per year per well. The actual proposal is for the flares to operate for no more than 90 days per well.

*Public Health England assessment*

PHE conclude that although onshore oil and gas extraction and related activities have the potential to cause pollution to air, land and water, the currently available evidence indicates that the potential risks to public health from exposure to the emissions associated with such extraction are low if the operations are properly run and regulated.

Based solely on the information contained within the application provided, PHE has no significant concerns in relation to the potential emissions from the site adversely impacting the health of the local population from this proposed activity, providing that the applicant takes all appropriate measures to prevent or control pollution, in accordance with the relevant sector technical guidance or industry best practice.

PHE agrees with the proposals to undertake baseline monitoring of ground waters, surface waters and local air quality to better assess the impact on the environment from any development.

#### Emissions from equipment associated with the operation of the site (e.g. generators)

In the Environment Statement (ES), the applicant provided details of equipment that will be used at the site, i.e. pumps fracturing water transfer pumps, generators, blender units and service rigs. The equipment will be used during the drill phases for the duration of the drilling. During the hydraulic fracturing the engines will be run for only a few hours at a time. Given the size of the generators and engines and the relatively short period of operation, these sources were scoped out of the assessment by the applicant. A table summarising the generators used on site is provided in Appendix F of the Environment Statement.

However, the County Council requested the applicant to undertake a further assessment to demonstrate (and justify) the exclusion of the generators from the air quality assessment in the ES. This assessment was undertaken and the information provided by the applicant was subject to a further round of public consultation.

The further assessment included detailed dispersion modelling to assess the impacts from the generators and the vehicle movements to/from the site. A number of worst case assumptions have been made in the modelling to ensure a conservative approach has been taken. The modelling shows that no significant effects are likely to result.

Further corroboration of the conclusion that no significant effect is likely from PM10s is demonstrated by the generators being below the threshold of local authority regulation. Fylde Borough Council has confirmed this is the case. This is a result of the Environmental Permitting (England and Wales) (Amendment) Regulations 2014/255. The amendment removes the need for the aggregation of diesel generators with a rated thermal input of less than 3 megawatts:

The modelling shows the PM10 24 hour mean level (50 ug/m<sup>3</sup>) is not breached on any day of the year. The national standard (24 hour mean, 50 ug/m<sup>3</sup>) allows for 35 breaches per year (90.4 percentile).

#### Possible fugitive emissions (i.e. unexpected or uncontrolled emissions)

The Environment Agency draft permit requires that during drilling of the exploratory boreholes, fugitive emissions of natural gas are to be prevented by increasing the hydrostatic pressure of fluids so as to prevent gas release. The well will also be equipped with physical control equipment which enables the borehole to be shut at the surface to prevent escape of gas emissions. Gas monitoring equipment will be in

constant use at the surface. The draft permit does not allow the venting of natural gas unless it is necessary for reasons of safety in an emergency.

Fugitive emissions of methane could potentially arise from the wellbore and mud circulation system. The applicant has provided a specific risk assessment for this scenario, which includes monitoring and proposes emergency control measures. The operator will carry out testing of all surface pipework to check for leaks prior to starting the operations and will be carrying out monitoring using Flame Ionization Detection monitoring equipment during the operations as part of the Environmental Management and Monitoring Plan required by the draft permit.

The operations will be benchmarked against baseline levels and should elevated levels of methane be detected, the well will be shut and the cause of the damages investigated and remedied. Operation will only resume once the Agency is satisfied that the issue has been resolved.

The Agency is satisfied that these measures minimise the risk of fugitive emissions and, together with condition 3.1 of the draft permit, provide acceptable controls.

#### Particulate matter (PM10) emissions

The County Council's Director of Public Health has made two recommendations that relate specifically to emissions of particulate matter (PM10). These are recommendations 6 and 7 from appendix J of the Health Impact Assessment. An assessment has therefore been carried out in relation to PM10s.

##### *PM10 from generators and vehicles:*

An assessment of PM10 (particulate matter of 10 microns diameter or less) from generators and vehicles has been undertaken and presented for both the Preston New Road and the Roseacre Wood proposed exploration sites as part of a further information request to the applicant. Detailed dispersion modelling has been used to assess the impacts from the generators and the vehicle movements to/from the site. A number of worst case assumptions have been made in the modelling to ensure a conservative approach has been taken. The modelling shows that no significant effects are likely to result.

Further corroboration of the conclusion that no significant effect is likely from PM10s is demonstrated by the generators being below the threshold of local authority regulation. Fylde Borough Council has confirmed this is the case. This is a result of the Environmental Permitting (England and Wales) (Amendment) Regulations 2014/255. The amendment removes the need for the aggregation of diesel generators with a rated thermal input of less than 3 megawatts:

In order to calculate the total cumulative impacts from generators and traffic the scheme related concentrations are added together. The findings from this cumulative assessment of PM10 for the Roseacre Wood and Preston New Road site during operations are that the results indicate no receptor is likely to experience a change of greater than, or equal to 1% of the annual mean objective (40µg/m<sup>3</sup>). As such no significant effects are likely to result from cumulative impacts. The total concentrations are also well below the air quality objectives for PM10. In other

words, the assessment shows the PM10 24 hour mean level (50 ug/m<sup>3</sup>) is not breached on any day of the year. The national standard (24 hour mean) allows for 35 breaches per year (90.4 percentile).

#### *PM10 from Flaring*

The generation of PM10 emissions from the flare has been scoped-out of the assessment due to the gas composition and high efficiency of combustion. This has been agreed with the Environment Agency and is described in the draft permit:

*"Particulates have been covered by a qualitative assessment as we would not expect PM10 to result from gaseous emissions. It formed part of the air quality assessment submitted by the applicant and is included in the habitats section for completeness".*

Indeed the Agency has further clarified its position in relation to particulates from flaring of natural gas in that when there is full and efficient combustion (based on temperature and retention time) the emissions are not likely to contain particulate matter.

An enclosed flare, which is a requirement for these activities, allows more control of the process, and the temperature can be continuously monitored along with the retention time to ensure the combustion process is complete.

The gas flow to the flare and the gas composition are also measured.

In this case the applicant will produce an Environmental Management and Monitoring Plan before they are operational which will need to be approved by the EA; this plan will contain details of appropriate control measures they will put in place should efficient combustion not be achieved.

#### *PM10 from Drilling*

No PM10 emissions from drilling would be expected as the material drilled would be wet. Also any dust-creating processes on site would be mitigated by following the site Environmental Operating Standard (see ES:4.13.1 & Appendix E).

#### *Air Quality Monitoring*

The Environment Agency draft permit requires, through the Waste Management Plan (section 9.6, version 7 of the WMP), monitoring of 13 ambient air quality parameters including PM2.5 and PM10. This will be done prior to operations commencing to establish a baseline, during operations and after operations have ceased. Four sampling positions will remain constant at the perimeter of the site. The parameters are: methane, carbon monoxide, hydrogen sulphide, nitrogen dioxide, nitrogen monoxide, sulphur dioxide, ozone, total petroleum hydrocarbons, VOCs, BTEX, PM2.5 and PM10, dust. Results will be published monthly and submitted to the Agency for check and verification.

Monitoring of particulates will be undertaken throughout the operational period of the site using Frisbee-type dust gauges with directional adhesive strips (for nuisance dust) plus pumped gravimetric sampling for PM10 and PM2.5 will be located at four locations in close proximity to key receptors.. The sampling period for gravimetric monitoring for PM10 and PM2.5 will be 24 hours.

In addition, the Environment Agency requires point source emission monitoring from the flare for oxides of nitrogen, carbon monoxide, total volatile organic compounds, and methane (using emission modelling calculations) as part of the draft permit.

In summary, no significant effects are expected daily or annually from PM10s for any phase of the project, or in combination of phases. Moreover, the Environment Agency draft permit (section 9.6, version 7 of the WMP) provides for ambient PM10 and PM2.5 monitoring over 24 hour periods.

## **Conclusion**

The project will generate some emissions to air. But providing the operational practices are adhered to and regulated by the Environment Agency, the emissions would not cause unacceptable impacts.

Having undertaken a detailed assessment, the Agency is satisfied that the emissions from the flare would be insignificant at locations closest to the site. In terms of public health impact of the flare emissions, the Agency's audit checks, modelling and sensitivity analysis confirms there will be no exceedance of standards established for human protection.

Based on the information contained within the application, Public Health England has no significant concerns in relation to the potential emissions from the site adversely impacting the health of the local population, providing the applicant takes all appropriate measures to prevent or control pollution, in accordance with the relevant sector technical guidance or industry best practice

Comprehensive monitoring of the practices and the site, overseen and regulated by the Environment Agency, will ensure that risks are managed effectively.

The proposal would not have unacceptable impacts and would comply with national guidance and policies, together with the policies of the development plan.